## STIC Biotechnology Systems Branch

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 4.4.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission

  User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
   U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06

## Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 10/589, 955
ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE	
lWrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
SVariable Length	Sequence(s)contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
6Patentin 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.
8Skipped Sequences (NEW RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000
Use of n's or Xaa's' (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing.  Per 1.823 of Sequence Rules, use of <220><223> is MANDATORY if n's or Xaa's are present.  In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
lo√Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence. (see item 11 below)
11Usc of <220>	Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <13> "Organism" response is "Artificial Sequence" or "Unknown. Please explain source of genetic material in <220> to <223> section or use "chemically synthesized" as explanation. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32), also Sec. 1.823 of Sequence Rules
12Patentin 2.0 "bug"	Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
13 Misuse of n/Xea	"n" can only represent a single nucleotide: "Xaa" can only represent a single amino acid

AMC - STIC Systems Branch - 03/02/06



RAW SEQUENCE LISTING

DATE: 08/28/2006

PATENT APPLICATION: US/10/589,955

TIME: 09:40:09

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\08282006\J589955.raw

3 <110> APPLICANT: National Institute of Advanced Industrial Science and Technology Kinki University Kitakyushu Foundation for the Advancement of Industry 7 <120> TITLE OF INVENTION: Cytoplasm-localized DNA and RNA 9 <130> FILE REFERENCE: 05-102NIO C>-> 11 <140> CURRENT APPLICATION NUMBER: US/10/589,955 C--> 11 <141> CURRENT FILING DATE: 2006-08-18 11 <150> PRIOR APPLICATION NUMBER: JP 2004-045488 Does Not Comply 12 <151> PRIOR FILING DATE: 2004-02-20 Corrected Diskette Needed 14 <150> PRIOR APPLICATION NUMBER: JP 2004-136228 15 <151> PRIOR FILING DATE: 2004-04-30 sum 1-6 17 <160> NUMBER OF SEQ ID NOS: 28 19 <170> SOFTWARE: PatentIn version 3.1

## **ERRORED SEQUENCES**

To a combined ONA/RNA sequence, Jos a combined ONA/RNA sequence, use 22127 ONA and explain in C2207-C2237 133 <210> SEQ ID NO: 9 134 <211> LENGTH: 31 135 <212> TYPE KNA 136 <213> ORGANISM: Artificial 138 <220> FEATURE: 139 <223> OTHER INFORMATION: Probe 141 <400> SEQUENCE: 9 B--> 142 cuacaucacg ccagucaact t 145 <210> SBQ ID NO: 10 146 <211> LENGTH: 21 same ever 147 <212> TYPE: RNA 148 <213> ORGANISM: Artificial 150 <220> FBATURE: 151 <223> OTHER INFORMATION: Probe 153 <400> SEQUENCE: 10 B--> 154 guugacugge gugauguage t 21 259 <210> SEQ ID NO: 19 260 <211> LENGTH: 22 261 <212> TYPE: RNA 262 <213> ORGANISM: Artificial 264 <220> FEATURE: 265 <223> OTHER INFORMATION: Linker 267 <220> FEATURE: 268 <221> NAME/KEY: modified base

270 <223> OTHER INFORMATION: Linker

269 <222> LOCATION: (1)..(1)

DATE: 08/28/2006

```
PATENT APPLICATION: US/10/589,955
                                                                TIME: 09:40:09
                                                                      n' can only represent

r single nucleotide, nothing

else
                      Input Set : A:\PTO.RJ.txt
                      Output Set: N:\CRF4\08282006\J589955.raw
     273 <220> FEATURE:
     274 <221> NAME/KEY: misc_feature
     275 <222> LOCATION: (1)..(1)
                                        is -O-CH.sub.2CH.sub.2-O-CH.sub.2CH.sub.2-NH.sub.2
     276 <223> OTHER INFORMATION:
     279 <400> SEQUENCE: 19
B--> 280 ncuacaucac gccagucaac (tt
     283 <210> SEQ ID NO: 20
     284 <211> LENGTH: 2
     285 <212> TYPE RNA
     286 <213> ORGANISM: Artificial
     288 <220> FEATURE:

    289 <223> OTHER INFORMATION: Linker

     291 <220> FEATURE:
     292 <221> NAMB/KEY: modified_base
                                                       same eval as above
     293 <222> LOCATION: (1)..(1)
     294 <223> OTHER INFORMATION: Linker
     297 <220> FEATURE:
     298 <221> NAME/KEY: misc_feature
     299 <222> LOCATION: (1)..(1)
     300 <223> OTHER INFORMATION: "n"
                                           -O-CH.sub.2CH.sub.2-O-CH.sub.2CH.sub.2-NH.sub.2
     303 <400> SEQUENCE: 20
B--> 304 nguuqacuqq cquqauquaq/tt
     307 <210> SEQ ID NO: 21
                                                      this does not describe Artificial Sequence

)

) hot acceptable in an RNA sequence
     308 <211> LENGTH: 21
     309 <212> TYPE: RNA
     310 <213> ORGANISM: Artificial
     312 <220> FEATURE:
     313 <223> OTHER INFORMATION: (Modified thymidine
     315 <220> FEATURE:
     316 <221> NAME/KEY: modified_base
     317 <222> LOCATION: (20)..(20)
     318 <223> OTHER INFORMATION / Modified thymidine
     321 <400> SEQUENCE: 21
                                                                                   21
B--> 322 cuacaucacg ccagucaaqt t
     325 <210> SEQ ID NO: 22
     326 <211> LENGTH: 27
                                                same euro as above
     327 <212> TYPE: (RNA)
     328 <213> ORGANISM: Artificial
     330 <220> FEATURE:
     331 <223> OTHER INFORMATION: (Modified thymidine
     333 <220> FEATURE:
     334 <221> NAME/KEY: modified_base
     335 <222> LOCATION: (20)..(20),
     336 <223> OTHER INFORMATION. Modified thymidine
     339 <400> SEQUENCE: 22
B--> 340 guugacuggc gugauguagt t
                                                                                   21
     343 <210> SEQ ID NO: 23
     344 <211> LENGTH:_21
     345 <212> TYPB: RNA
```

RAW SEQUENCE LISTING

21

DATE: 08/28/2006 RAW SEQUENCE LISTING TIMB: 09:40:09 PATENT APPLICATION: US/10/589,955 Input Set : A:\PTO.RJ.txt Output Set: N:\CRF4\08282006\J589955.raw 346 <213> ORGANISM: Artificial 348 <220> FEATURE: 349 <223> OTHER INFORMATION Modified thymidine 351 <220> FEATURE: 352 <221> NAME/KEY: modified\_base 353 <222> LOCATION: (6)..(6) 354 <223> OTHER INFORMATION: Modified thymidine 357 <220> FEATURE: 358 <221> NAME/KEY: modified base 359 <222> LOCATION: (15)..(15) 360 <223> OTHER INFORMATION: Modified thymidine 363 <400> SEQUENCE: 23 E--> 364 cuacaucacg ccagucaa(t 367 <210> SEQ ID NO: 24 368 <211> LENGTH: 369 <212> TYPE: RNA 370 <213> ORGANISM: Artificial 372 <220> FEATURE: 373 <223> OTHER INFORMATION Modified thymidine 375 <220> FEATURE: 376 <221> NAME/KEY: modified\_base 377 <222> LOCATION: (7)..(7) 378 <223> OTHER INFORMATION: Modified thymidine 381 <220> FEATURE: 382 <221> NAME/KEY: modified\_base 383 <222> LOCATION: (12)..(12)

384 <223> OTHER INFORMATION: Modified thymidine 387 <220> FEATURE: 388 <221> NAME/KBY: modified\_base 389 <222> LOCATION: (15)..(15) 390 <223> OTHER INFORMATION: Modified thymidine 393 <220> FEATURE: 394 <221> NAME/KEY: modified base 395 <222> LOCATION: (17)..(17) 396 <223> OTHER INFORMATION: Modified thymidine 399 <400> SEQUENCE: 24 E--> 400 guugacuggc gugauguagt 21 403 <210> SEQ ID NO: 25 404 <211> LENGTH: 3 405 <212> TYPE: RNA 406 <213> ORGANISM: Artificial 408 <220> FEATURE: 409 <223> OTHER INFORMATION: Linker 411 <220> FEATURE:

412 <221> NAME/KEY: modified\_base 413 <222> LOCATION: (1)..(1)

418 <221> NAME/KEY: misc\_feature

417 <220> FEATURE:

414 <223> OTHER INFORMATION: Linker

DATE: 08/28/2006

TIME: 09:40:09

```
Input Set : A:\PTO.RJ.txt
                     Output Set: N:\CRF4\08282006\J589955.raw
    419 <222> LOCATION: (1)..(1)
                                  nº is -O-CH.sub.2CH.sub.2-O-CH.sub.2CH.sub.2-NH-R.sup.1
    420 <223> OTHER INFORMATION:
    423 <400> SEQUENCE: 25
E--> 424 ncuacaucac gccagucaac(tt
    427 <210> SEQ ID NO: 26
    428 <211> LENGTH Z
   429 <212> TYPE: RNA
    430 <213> ORGANISM: Artificial
    432 <220> FEATURE:
    433 <223> OTHER INFORMATION: Modified thymidine
    435 <220> FEATURE:
    436 <221> NAME/KEY: modified_base
    437 <222> LOCATION: (20)..(20)
    438 <223> OTHER INFORMATION: (Modified thymidine
    441 <400> SEQUENCE: 26
                                                                                 21

    +> 442 cuacaucacg ccagucaaq

     445 <210> SEQ ID NO: 27
    446 <211> LENGTH: 2
    447 <212> TYPE: RNA
    448 <213> ORGANISM: Artificial
    450 <220> FEATURE:
    451 <223> OTHER INFORMATION: Modified thymidine
    453 <220> FEATURE:
     454 <221> NAME/KEY: modified_base
    455 <222> LOCATION: (1)..(1)
     456 <223> OTHER INFORMATION: Linker
    459 <220> FEATURE:
    460 <221> NAME/KEY: modified_base
    461 <222> LOCATION: (21)..(21)
    462 <223> OTHER INFORMATION: (Modified thymidine
    465 <220> FEATURE:
    466 <221> NAME/KEY: misc_feature
    467 <222> LOCATION: (1)..(1)
                                      is -O-CH.sub.2CH.sub.2-O-CH.sub.2CH.sub.2-NH-R.sup.1
    468 <223> OTHER INFORMATION: "n"
    471 <400> SEQUENCE: 27
  > 472 ncuacaucac gccagucaaq
                                                                                 22
    475 <210> SEQ ID NO: 28
    476 <211> LENGTH: 22
    477 <212> TYPE RNA
    478 <213> ORGANISM: Artificial
    480 <220> FEATURE:
    481 <223> OTHER INFORMATION: Modified thymidine
    483 <220> FEATURE:
    484 <221> NAME/KEY: modified_base
    485 <222> LOCATION: (1)..(1)
    486 <223> OTHER INFORMATION: Linker
    489 <220> FEATURE:
    490 <221> NAME/KEY: modified_base
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/589,955

491 <222> LOCATION: (3)..(3)

RAW SEQUENCE LISTING

\_

DATE: 08/28/2006

PATENT APPLICATION: US/10/589,955

TIME: 09:40:09

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\08282006\J589955.raw

```
492 <223> OTHER INFORMATION: Modified thymidine
```

495 <220> FEATURE:

496 <221> NAME/KEY: modified base

497 <222> LOCATION: (7)..(7)

498 <223> OTHER INFORMATION: Modified thymidine

501 <220> FEATURE:

502 <221> NAMB/KEY: modified base

503 <222> LOCATION: (16)..(16)

504 <223> OTHER INFORMATION: Modified thymidine

507 <220> FEATURE:

508 <221> NAME/KEY: modified base

509 <222> LOCATION: (21)..(21)

510 <223> OTHER INFORMATION: (Modified thymidine

513 <220> FEATURE:

514 <221> NAME/KEY: misc\_feature

515 <222> LOCATION: (1)..(1)

516 <223> OTHER INFORMATION: "n" is -O-CH.sub.2CH.sub.2-O-CH.sub.2CH.sub.2NH-R.sup.1

519 <400> SEQUENCE: 28

E--> 520 ncuacaucac gccagucaac tt

10/589,955 1) do not use scientific symbols. They carrot be 2) invabil (2137 respone Cff software. ( see eten 10 on Eur Leu Ala Leu Lys Leu Ala Gly Leu Asp Ile Sunnay Steet) <211> <212> PRT <213> MAPKK Same enov

Lis type I ever oppears in subsequent subsequent, sequences,

VERIFICATION SUMMARY
PATENT APPLICATION: US/10/589,955

DATE: 08/28/2006

TIME: 09:40:10

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\08282006\J589955.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:142 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:154 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:280 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0 L:280 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:304 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0 L:304 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:322 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:340 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:364 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:400 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:424 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0 L:424 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:442 M:321 B: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:472 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0 L:472 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KEYS:2 L:520 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0 L:520 M:321 E: (1) "t" not allowed in RNA Sequence, NUMBER OF INVALID 't' KBYS:2